


CINEGON 1.8/4.8


MODULATION als Funktion der relativen Bildgröße

Wellenlänge λ [nm] :	587	940	820	707	480	405
Spektrale Gewichtung [%] :	28.8	12.2	14.9	23.6	12.8	7.7
Ortsfrequenz R [1/mm] :	10	20	30			
Format [mm X mm] :	6.6	X	8.8			
Diagonale $2u'$ [mm] :	11.0					


radial —
tangential - -



$f' = 5.0$ $k = 1.9$ $1/\beta' = \infty$ $00' = \infty$ $f' = 5.0$ $k = 4.0$ $1/\beta' = \infty$ $00' = \infty$ $f' = 5.0$ $k = 8.0$ $1/\beta' = \infty$ $00' = \infty$



$f' = 5.0$ $k = 1.9$ $1/\beta' = -50.00$ $00' = 295$. $f' = 5.0$ $k = 4.0$ $1/\beta' = -50.00$ $00' = 295$. $f' = 5.0$ $k = 8.0$ $1/\beta' = -50.00$ $00' = 295$.



$f' = 5.0$ $k = 1.9$ $1/\beta' = -10.00$ $00' = 96$. $f' = 5.0$ $k = 4.0$ $1/\beta' = -10.00$ $00' = 96$. $f' = 5.0$ $k = 8.0$ $1/\beta' = -10.00$ $00' = 96$.

Fokussierung MTF_{max} bei $k = 1.8$, $R = 30$ 1/mm. $u'/u'_{max} = 0$

46175 [70503] Gedruckt in der Bundesrepublik Deutschland